CONTENTS

No. 1 SEPTEMBER 1950

B. C. P. JANSEN. Biography of C. Eijkman, with frontispiece 3

HELEN B. BURCH, JUAN SALCEDO, JR., EUFRONIO O. CARRASCO, CARMEN LL. INTENGAN AND ANNE B. CALDWELL. Nutrition survey and tests in Bataan, Philippines. Three figures 9

SELMA E. SNYDERMAN, L. EMMETT HOLT, JR., ROSA LEE NEMIR, LOREN P. GUY, ROSARIO CARRETERO AND KATHERINE C. KETRON. Observations on an unknown dietary factor essential for human growth. Eleven figures 31

M. B. GILLIS. Further studies on the role of potassium in growth and bone formation 45

J. W. BRATZLER, J. K. LOOSLI, V. N. KRUKOVSKY AND L. A. MAYNARD. Effect of the dietary level of tocopherols on their metabolism in swine 59

STANLEY LEVEY, ELLEN D. HOGANSON, JOHN E. HARROUN AND CHARLEY J. SMYTH. The excretion of amino acids in normal and undernourished human subjects following a single infusion of an amino acid preparation. One figure 71

JAMES S. DINNING, CECILIA K. KEITH, JAMES T. PARSONS AND PAUL L. DAY. The influence of pteroylglutamic acid and vitamin B_{12} on the metabolism of pyridine-fed rats. Three figures 81

OWEN W. KITE, JAMES H. SHAW AND REIDAR F. SOGNNAES. The prevention of experimental tooth decay by tube-feeding. Eight figures 89

ARTHUR J. SPENCER, JR., AND LILLIAN N. ELLIS. The effect of fluoride and grapefruit juice on the etching of teeth. Three figures 107

RUTH E. NELL AND PAUL H. PHILLIPS. Contributions of brewers' yeast to a diet deficient in reproductive factors 117

M. J. BRINEGAR, H. H. WILLIAMS, FENT H. FERRIS, J. K. LOOSLI AND L. A. MAYNARD. The lysine requirement for the growth of swine 129

AMERICAN INSTITUTE OF NUTRITION. Proceedings of the fourteenth annual meeting, Atlantic city, New Jersey, April 17–21, 1950 139

No. 2 OCTOBER 1950

EVELYN HOWARD AND RICHARD S. BENUA. The effect of protein deficiency and other dietary factors on the X zone of the mouse adrenal. Four figures 157

J. A. SCHULZ AND BYRON H. THOMAS. The fecal excretion of lipids by rats as influenced by the diet 175

HALVOR N. CHRISTENSEN. Peptide wastage consequent to the infusion of two protein hydrolysates 189

TSOO E. KING, F. M. STRONG AND VERNON H. CHELDELIN. Pantothenic acid studies. X. The influence of a pantothenic acid conjugate (PAC) upon growth and citrate formation in rats. Three figures 195

R. G. CHITRE, J. N. WILLIAMS, JR., AND C. A. ELVEHJEM. Nutritive value of canned foods. XLII. A study of the protein value of young and mature peas (Pisum sativum). Three figures 207

BARNETT SURE AND LESLIE EASTERLING. The protective action of vitamin B_{12} against the toxicity of DL-thyroxine 221

HARLYN O. HALVORSON AND M. O. SCHULTZE. Nutritional value of plant materials. III. Acute uremia of newborn rats from mothers fed plant rations 227

HARRY J. DEUEL, JR., SAMUEL M. GREENBERG AND EVELYN E. SAVAGE AND LUCIEN A. BAVETTA. Studies on the comparative nutritive value of fats. XIII. Growth and reproduction over 25 generations on Sherman diet B where butterfat was replaced by margarine fat, including a study of calcium metabolism. One figure 239

PAUL F. FENTON, GEORGE R. COWGILL, MARIE A. STONE AND DORIS H. JUSTICE. The nutrition of the mouse. VIII. Studies on pantothenic acid, biotin, inositol and *p*-aminobenzoic acid 257

BENJAMIN H. ERSHOFF. Comparative effects of B vitamins and liver on dinitrophenol toxicity in the rat 271

SAMUEL M. GREENBERG AND HARRY J. DEUEL, JR. The protective effect of high fat diets on immature rats fed thyroid 279

FRANCES A. JOHNSTON, THELMA J. MCMILLAN AND ERICA R. EVANS. Perspiration as a factor influencing the requirement for calcium and iron .. 285

E. NIEGE TODHUNTER, THELMA MCMILLAN AND DOROTHY A. EHMKE. Utilization of dehydroascorbic acid by human subjects 297

FLORENCE A. FARMER, BARBARA C. MUTCH, J. M. BELL, L. D. WOOLSEY AND E. W. CRAMPTON. The vitamin E requirement of guinea pigs 309

No. 3 NOVEMBER 1950

RAYMOND REISER. The essential role of fatty acids in rations for growing chicks. One figure 319

RAYMOND REISER. With the technical assistance of Betty Gibson. The metabolism of polyunsaturated fatty acids in growing chicks 325

J. R. COUCH AND ORLANDO OLCESE. The vitamin B_{12} content of chick tissues as influenced by the diet. Three figures 337

MARY ELIZABETH REID. Ascorbic acid metabolism in guinea pigs in relation to growth 347

LEONA ZACHARIAS, PAUL GOLDHABER AND V. EVERETT KINSEY. Vitamin E deficiency in chicks. I. The effects of dietary supplements on plasma tocopherol levels and vitamin E deficiency symptoms. Four figures 359

HANS KAUNITZ AND CHARLES A. SLANETZ. With the technical assistance of Ruth Ellen Johnson. An unknown factor with vitamin A activity distilled from lard. Two figures 375

J. F. KACHMAR, P. D. BOYER, T. W. GULLICKSON, E. LIEBE AND R. M. PORTER. Vitamin E in the nutrition of cattle. II. Vitamin E levels in the blood, vitamin A and carotene utilization, and other chemical studies. Two figures 391

BACON F. CHOW, LOIS BARROWS AND CALVIN LANG. The microbiological activity of vitamin B_{12} in the urine of normal rats following the oral and subcutaneous administration of this vitamin 405

ALEX BLACK, KENNETH H. MADDY AND RAYMOND W. SWIFT. The influence of low levels of protein on heat production 415

A. E. DENTON, J. N. WILLIAMS, JR., AND C. A. ELVEHJEM. Methionine deficiency under ad libitum and force-feeding conditions. One figure 423

S. B. TOVE, R. J. LALOR AND C. A. ELVEHJEM. An unidentified factor present in hog intestinal mucosa required by the mink. Two figures 433

FRANK A. CSONKA. Nitrogen, methionine and cystine content of hen's eggs. Their distribution in the egg white and yolk 443

PAUL GOLDHABER, LEONA ZACHARIAS AND V. EVERETT KINSEY. Vitamin E deficiency in chicks. II. Plasma xanthophyll levels and vitamin E deficiency symptoms. Four figures 453

J. O. ANDERSON, G. F. COMBS AND G. M. BRIGGS. Niacin-replacing value of L- and DL-tryptophan in chick diets as influenced by carbohydrate source 463

J. R. COUCH, O. OLCESE, B. G. SANDERS AND J. V. HALICK. Vitamin B_{12}, APF concentrates, dried whey, fish solubles and liver fraction "L" in the nutrition of the mature fowl 473

No. 4 DECEMBER 1950

K. A. KENDALL, G. W. SALISBURY AND N. L. VANDEMARK. Sterility in the rabbit associated with soybean hay feeding. Three figures 487

JUAN SALCEDO, JR., M. D. BAMBA, EUFRONIO O. CARRASCO, GREGORIO S. CHAN, ISABEL CONCEPCION, FRANCISCO R. JOSE, JOSE F. DELEON, SALVADOR B. OLIVEROS, CONRADO R. PASCUAL, LEON C. SANTIAGO AND RAMON C. VALENZUELA. Artificial enrichment of white rice as a solution to endemic beriberi. Report of field trials in Bataan, Philippines. Three figures ... 501

ERLING F. WEEK AND FRANK J. SEVIGNE. Vitamin A utilization studies. IV. Relative utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters as affected by variations in dosage level, quantity and character of diluent, and quantity of dietary fat 525

MARA MCBEE, DOROTHY S. MOSCHETTE AND CLARA TUCKER. The hemoglobin concentrations, erythrocyte counts, and hematocrits of selected Louisiana elementary school children. Three figures 539

ALBERT E. SOBEL AND ABRAHAM A. ROSENBERG. Vitamin A stores of sucklings following administration to the dams of vitamin A in oily and aqueous media 557

B. MARCH, JACOB BIELY AND J. TONZETICH. Supplementation of wheat with amino acids in the diet of the chick 565

E. GEIGER, R. W. BANCROFT AND E. B. HAGERTY. The nitrogen-sparing effect of dietary carbohydrate in its relation to the time factor. Experiments with repletion of protein-depleted adult rats. One figure 577

M. O. SCHULTZE. Nutritional value of plant materials. V. Reproduction of rats fed purified rations containing soybean protein 587

D. W. PETERSON. Effect of sterols on the growth of chicks fed high alfalfa diets or a diet containing Quillaja saponin 597

R. R. GRUNERT, JAMES H. MEYER AND PAUL H. PHILLIPS. The sodium and potassium requirements of the rat for growth. Three figures 609

M. J. BRINEGAR, J. K. LOOSLI, L. A. MAYNARD AND H. H. WILLIAMS. The isoleucine requirement for the growth of swine 619

Osborne and Mendel Award 625

Borden Award in Nutrition 626

Mead Johnson and Company 'B-complex' Award 627

INDEX

ACETATE (vitamin A), vitamin A alcohol and vitamin A natural esters, relative utilization as affected by variations in dosage level, quantity and character of diluent and quantity of dietary fat, 525.
Ad libitum and force-feeding conditions, methionine deficiency under, 423.
Adrenal, mouse, effect of protein deficiency and other dietary factors on X zone of, 157.
Alcohol (vitamin A), vitamin A acetate and vitamin A natural esters, relative utilization as affected by variations in dosage level, quantity and character of diluent, and quantity of dietary fat, 525.
Alfalfa diets, high, or diet containing Quillaja saponin, effect of sterols on growth of chicks fed, 597.
American Institute of Nutrition
  Borden award in nutrition, presentation, 1950, 150.
  Committee on Biochemical Nomenclature, report of, 148.
  — on Program Policy, report of, 145.
  — on rules for awards, report of, 142.
  Editor of Journal of Nutrition, report of, 1950, 140.
  Editorial Board, 1950, 141.
  Election of officers for 1950–51, 147.
  Mead Johnson and Company 'B-complex' award, presentation, 1950, 149.
  New members elected, 1950, 148.
  Osborne and Mendel award, presentation, 1950, 150.
  Proceedings, 14th annual meeting, 1950, 139.
Amino acid(s), excretion in normal and undernourished human subjects following a single infusion of an amino acid preparation, 71.
—— preparation, excretion of amino acids in normal and undernourished human subjects following a single infusion of an, 71.
—— supplementation of wheat with, in diet of chick, 565.
p-Aminobenzoic acid, pantothenic acid, biotin and inositol, studies on. Nutrition of mouse. VIII., 257.
ANDERSON, J. O., G. F. COMBS AND G. M. BRIGGS. Niacin-replacing value of L- and DL-tryptophan in chick diets as influenced by carbohydrate source, 463.
Animal protein factor concentrates in nutrition of mature fowl, 473.
Aqueous and oily media, vitamin A stores of sucklings following administration to dams of vitamin A in, 557.
Artificial enrichment of white rice as a solution to endemic beriberi. Report of field trials in Bataan, Philippines, 501.
Ascorbic acid metabolism (see Metabolism, ascorbic acid).
Award(s), Borden, in nutrition (see Borden award).
— Mead Johnson and Company 'B-complex' (see Mead Johnson and Company).
— Osborne and Mendel (see Osborne and Mendel award).
— rules governing, report of committee on (see American Institute of Nutrition).

B vitamins (see Vitamins, B).
BAMBA, M. D. See Salcedo, J., Jr., 501.
BANCROFT, R. W. See Geiger, E., 577.
BARROWS, L. See Chow, B. F., 405.
Bataan, Philippines, nutrition survey and tests in, 9.
—— report of field trials in. Artificial enrichment of white rice as solution to endemic beriberi, 501.
BAVETTA, L. A. See Deuel, H. J., Jr., 239.
BELL, J. M. See Farmer, F. A., 309.
BENUA, R. S. See Howard, E., 157.
Beriberi, endemic, artificial enrichment of white rice as solution to. Report of field trials in Bataan, Philippines, 501.
BIELY, J. See March, B., 565.
Biography of C. Eijkman, 3.
Biotin, pantothenic acid, inositol and *p*-aminobenzoic acid, studies on. Nutrition of mouse. VIII., 257.
BLACK, A., K. H. MADDY AND R. W. SWIFT. The influence of low levels of protein on heat production, 415.
Blood, vitamin E levels in, vitamin A and carotene utilization and other chemical studies. Vitamin E in nutrition of cattle. II., 391.
Bone formation and growth, further studies on role of potassium in, 45.
Borden award in nutrition, 1951, announcement, 155, 626; presentation, 1950, 150.
BOYER, P. D. See Kachmar, J. F., 391.
BRATZLER, J. W., J. K. LOOSLI, V. N. KRUKOVSKY AND L. A. MAYNARD. Effect of the dietary level of tocopherols on their metabolism in swine, 59.
Brewers' yeast (see Yeast, brewers').
BRIGGS, G. M. See Anderson, J. O., 463.
BRINEGAR, M. J., J. K. LOOSLI, L. A. MAYNARD AND H. H. WILLIAMS. The isoleucine requirement for the growth of swine, 619.
— H. H. WILLIAMS, F. H. FERRIS, J. K. LOOSLI AND L. A. MAYNARD. The lysine requirement for the growth of swine, 129.
BURCH, H. B., J. SALCEDO, JR., E. O. CARRASCO, C. L. INTENGAN AND A. B. CALDWELL. Nutrition survey and tests in Bataan, Philippines, 9.
Butterfat replaced by margarine fat in Sherman diet B, growth and reproduction over 25 generations on, including a study of calcium metabolism, 239.

CALCIUM and iron, perspiration as factor influencing requirement for, 285.
— metabolism (see Metabolism, calcium).
CALDWELL, A. B. See Burch, H. B., 9.
Canned foods (see Foods, canned).
Carbohydrate, nitrogen-sparing effect of dietary, in its relation to the time factor. Experiments with repletion of protein-depleted adult rats, 577.
— source, niacin-replacing value of L- and DL-tryptophan in chick diets as influenced by, 463.
Carotene and vitamin A utilization, vitamin E levels in blood and other chemical studies. Vitamin E in nutrition of cattle. II., 391.
CARRASCO, E. O. See Burch, H. B., 9; Salcedo, J., Jr., 501.
CARRETERO, R. See Snyderman, S. E., 31.
Cattle, vitamin E in nutrition of. II., 391.
CHAN, G. S. See Salcedo, J., Jr., 501.
CHELDELIN, V. H. See King, T. E., 195.
Chemical studies, other, vitamin E levels in blood, vitamin A and carotene utilization and. Vitamin E in nutrition of cattle. II., 391.
Chick(s) diets, niacin-replacing value of L- and DL-tryptophan in, as influenced by carbohydrate source, 463.
— effects of dietary supplements on plasma tocopherol levels and vitamin E deficiency symptoms in, 359.
— fed high alfalfa diets or diet containing Quillaja saponin, effect of sterols on growth of, 597.

— growing, essential role of fatty acids in rations for, 319.
—— metabolism of polyunsaturated fatty acids in, 325.
— plasma xanthophyll levels and vitamin E deficiency symptoms in, 453.
— supplementation of wheat with amino acids in diet of, 565.
— tissues, vitamin B_{12} content of, as influenced by diet, 337.
— vitamin E deficiency in. I., 359; II., 453.
Children (selected Louisiana elementary school), hemoglobin concentrations, erythrocyte counts, and hematocrits of, 539.
CHITRE, R. G., J. N. WILLIAMS, JR. AND C. A. ELVEHJEM. Nutritive value of canned foods. XLII. A study of the protein value of young and mature peas (Pisum sativum), 207.
CHOW, B. F., L. BARROWS AND C. LANG. The microbiological activity of vitamin B_{12} in the urine of normal rats following the oral and subcutaneous administration of this vitamin, 405.
CHRISTENSEN, H. N. Peptide wastage consequent to the infusion of two protein hydrolysates, 189.
Citrate formation and growth in rats, influence of a pantothenic acid conjugate (PAC) upon, 195.
COMBS, G. F. See Anderson, J. O., 463.
CONCEPCION, I. See Salcedo, J., Jr., 501.
COUCH, J. R., AND O. OLCESE. The vitamin B_{12} content of chick tissues as influenced by the diet, 337.
—— B. G. SANDERS AND J. V. HALICK. Vitamin B_{12}, APF concentrates, dried whey, fish solubles and liver fraction "L" in the nutrition of the mature fowl, 473.
COWGILL, G. R. See Fenton, P. F., 257.
CRAMPTON, E. W. See Farmer, F. A., 309.
CSONKA, F. A. Nitrogen, methionine and cystine content of hen's eggs. Their distribution in the egg white and yolk, 443.
Cystine content of hen's eggs, distribution in egg white and yolk, 443.

DAMS, vitamin A stores of sucklings following administration to, of vitamin A in oily and aqueous media, 557.
DAY, P. L. See Dinning, J. S., 81.
Decay, experimental tooth, prevention by tube-feeding, 89.
Dehydroascorbic acid, utilization by human subjects, 297.
DE LEON, J. F. See Salcedo, J., Jr., 501.
DENTON, A. E., J. N. WILLIAMS, JR. AND C. A. ELVEHJEM. Methionine deficiency under ad libitum and force-feeding conditions, 423.
DEUEL, H. J., JR., S. M. GREENBERG, E. E. SAVAGE AND L. A BAVETTA. Studies on the comparative nutritive value of fats. XIII. Growth and reproduction over 25 generations on Sherman diet B where butterfat was replaced by margarine fat, including a study of calcium metabolism, 239.
— See Greenberg, S. M., 279.
Diet(s) B, Sherman, where butterfat was replaced by margarine fat, growth and reproduction over 25 generations on, including a study of calcium metabolism, 239.
— chick, niacin-replacing value of L- and DL-tryptophan in, as influenced by carbohydrate source, 463.
— containing Quillaja saponin, or high alfalfa diets, effect of sterols on growth of chicks fed, 597.
— deficient in reproductive factors, contributions of brewers' yeast to, 117.
— fecal excretion of lipids by rats as influenced by, 175.
— high alfalfa, or containing Quillaja saponin, effect of sterols on growth of chicks fed, 597.
—— fat, protective effect on immature rats fed thyroid, 279.
— of chick, supplementation of wheat with amino acids in, 565.
— vitamin B_{12} content of chick tissues as influenced by, 337.
Dietary carbohydrate, nitrogen-sparing effect of, in its relation to the time factor. Experiments with repletion of protein-depleted adult rats, 577.
— factor(s), other, and protein deficiency, effect on X zone of mouse adrenal, 157.
—— unknown, essential for human growth, observations on an, 31.
— fat, relative utilization of vitamin A alcohol, acetate and natural esters as affected by quantity of, 525.
— level of tocopherols, effect on their metabolism in swine, 59.
— supplements, effects on plasma tocopherol levels and vitamin E deficiency symptoms in chicks, 359.
Diluent, relative utilization of vitamin A alcohol, acetate and natural esters as affected by quantity and character of, 525.
Dinitrophenol toxicity in rat, comparative effects of B vitamins and liver on, 271.
DINNING, J. S., C. K. KEITH, J. T. PARSONS AND P. L. DAY. The influence of pteroylglutamic acid and vitamin B_{12} on the metabolism of pyridine-fed rats, 81.
Dosage level, relative utilization of vitamin A alcohol, acetate and natural esters as affected by variations in, 525.
Dried whey (See Whey, dried).

EASTERLING, L. See Sure, B., 221.
Egg(s) (hen's), nitrogen, methionine and cystine content of, distribution in egg white and yolk, 443.
— white and yolk; nitrogen, methionine and cystine content of hen's eggs and distribution in, 443.
EHMKE, D. A. See Todhunter, E. N., 297.
EIJKMAN, C. (August 11, 1858 – November 5, 1930), 3.
Elementary school children (selected Louisiana), hemoglobin concentrations, erythrocyte counts, and hematocrits of, 539.
ELLIS, L. N. See Spencer, A. J., Jr., 107.
ELVEHJEM, C. A. See Chitre, R. G., 207; Denton, A. E., 423; Tove, S. B., 433.
Endemic beriberi, artificial enrichment of white rice as solution to. Report of field trials in Bataan, Philippines, 501.
Enrichment, artificial, of white rice as solution to endemic beriberi. Report of field trials in Bataan, Philippines, 501.
ERSHOFF, B. H. Comparative effects of B vitamins and liver on dinitrophenol toxicity in the rat, 271.
Erythrocyte counts of selected Louisiana elementary school children, 539.
Esters (vitamin A natural), vitamin A alcohol and vitamin A acetate, relative utilization as affected by variations in dosage level, quantity and character of diluent, and quantity of dietary fat, 525.
Etching of teeth, effect of fluoride and grapefruit juice on, 107.
EVANS, E. R. See Johnston, F. A., 285.
Excretion, fecal (see Fecal excretion).
— of amino acids in normal and undernourished human subjects following a single infusion of an amino acid preparation, 71.
Experimental tooth decay, prevention by tube-feeding, 89.
Experiments with repletion of protein-depleted adult rats. Nitrogen-sparing effect of dietary carbohydrate in its relation to the time factor, 577.

FACTOR, unknown, with vitamin A activity distilled from lard, 375.
FARMER, F. A., B. C. MUTCH, J. M. BELL, L. D. WOOLSEY AND E. W. CRAMPTON. The vitamin E requirement of guinea pigs, 309.
Fat(s), comparative nutritive value of. XIII., 239.

— dietary, relative utilization of vitamin A alcohol, acetate and natural esters as affected by quantity of, 525.
— diets, high, protective effect on immature rats fed thyroid, 279.
— (margarine), growth and reproduction over 25 generations on Sherman diet B where butterfat was replaced by, including a study of calcium metabolism, 239.
Fatty acids, essential role in rations for growing chicks, 319.
—— polyunsaturated, metabolism in growing chicks, 325.
Fecal excretion of lipids by rats as influenced by diet, 175.
FENTON, P. F., G. R. COWGILL, M. A. STONE AND D. H. JUSTICE. The nutrition of the mouse. VIII. Studies on pantothenic acid, biotin, inositol and *p*-aminobenzoic acid, 257.
FERRIS, F. H. See Brinegar, M. J., 129.
Field trials in Bataan, Philippines, report of. Artificial enrichment of white rice as solution to endemic beriberi, 501.
Fish solubles in nutrition of mature fowl, 473.
Fluoride and grapefruit juice, effect on etching of teeth, 107.
Foods, canned, nutritive value of. XLII., 207.
Force-feeding and ad libitum conditions, methionine deficiency under, 423.
Fowl (mature), vitamin B_{12}, APF concentrates, dried whey, fish solubles and liver fraction "L" in nutrition of, 473.
Fraction "L" (liver) in nutrition of mature fowl, 473.

GEIGER, E., R. W. BANCROFT AND E. B. HAGERTY. The nitrogen-sparing effect of dietary carbohydrate in its relation to the time factor. Experiments with repletion of protein-depleted adult rats, 577.
Generations, 25, on Sherman diet B where butterfat was replaced by margarine fat, growth and reproduction over, including a study of calcium metabolism, 239.
GIBSON, B. See Reiser, R., 325.
GILLIS, M. B. Further studies on the role of potassium in growth and bone formation, 45.
GOLDHABER, P., L. ZACHARIAS AND V. E. KINSEY. Vitamin E deficiency in chicks. II. Plasma xanthophyll levels and vitamin E deficiency symptoms, 453.
— See Zacharias, L., 359.
Grapefruit juice and fluoride, effect on etching of teeth, 107.
GREENBERG, S. M., AND H. J. DEUEL, JR. The protective effect of high fat diets on immature rats fed thyroid, 279.
— See Deuel, H. J., Jr., 239.
Growing chicks (see Chicks, growing).
Growth and bone formation, further studies on role of potassium in, 45.
— and citrate formation in rats, influence of a pantothenic acid conjugate (PAC) upon, 195.
— and reproduction over 25 generations on Sherman diet B where butterfat was replaced by margarine fat, including a study of calcium metabolism, 239.
— ascorbic acid metabolism in guinea pigs in relation to, 347.
— human, observations on an unknown dietary factor essential for, 31.
— of chicks fed high alfalfa diets or diet containing Quillaja saponin, effect of sterols on, 597.
— of rat, sodium and potassium requirements for, 609.
— of swine, isoleucine requirement for, 619; lysine requirement for, 129.
GRUNERT, R. R., J. H. MEYER AND P. H. PHILLIPS The sodium and potassium requirements of the rat for growth, 609.
Guinea pigs, ascorbic acid metabolism in, in relation to growth, 347.
—— vitamin E requirement of, 309.
GULLICKSON, T. W. See Kachmar, J. F., 391.
GUY, L. P. See Snyderman, S. E., 31.

HAGERTY, E. B. See Geiger, E., 577.
HALICK, J. V. See Couch, J. R., 473.
HALVORSON, H. O., AND M. O. SCHULTZE. Nutritional value of plant materials. III. Acute uremia of newborn rats from mothers fed plant rations, 227.
HARBOUN, J. E. See Levey, S., 71.
Hay (soybean) feeding, sterility in rabbit associated with, 487.
Heat production, influence of low levels of protein on, 415.
Hematocrits of selected Louisiana elementary school children, 539.
Hemoglobin concentrations of selected Louisiana elementary school children, 539.
Hen's eggs (see Eggs, hen's).
Hog intestinal mucosa, unidentified factor present in, required by mink, 433.
HOGANSON, E. D. See Levey, S., 71.
HOLT, L. E., JR. See Snyderman, S. E., 31.
HOWARD, E., AND R. S. BENUA. The effect of protein deficiency and other dietary factors on the X zone of the mouse adrenal, 157.
Human growth, observations on an unknown dietary factor essential for, 31.
— subjects (see Man).
Hydrolysates, protein, peptide wastage consequent to the infusion of two, 189.

INFUSION of two protein hydrolysates, peptide wastage consequent to, 189.
— single, of an amino acid preparation, excretion of amino acids in normal and undernourished human subjects following, 71.
Inositol, pantothenic acid, biotin and *p*-aminobenzoic acid, studies on. Nutrition of mouse. VIII., 257.
INTENGAN, C. L. See Burch, H. B., 9.
Intestinal mucosa (hog), unidentified factor present in, required by mink, 433.
Iron and calcium, perspiration as factor influencing requirement for, 285.
Isoleucine requirement for growth of swine, 619.

JANSEN, B. C. P. C. Eijkman (August 11, 1858 – November 15, 1930), 3.
JOHNSON, R. E. See Kaunitz, H., 375.
JOHNSTON, F. A., T. MCMILLAN AND E. R. EVANS. Perspiration as a factor influencing the requirement for calcium and iron, 285.
JOSE, F. R. See Salcedo, J., Jr., 501.
Juice, grapefruit (see Grapefruit juice).
JUSTICE, D. H. See Fenton, P. F., 257.

KACHMAR, J. F., P. D. BOYER, T. W. GULLICKSON, E. LIEBE AND R. M. PORTER. Vitamin E in the nutrition of cattle. II. Vitamin E levels in the blood, vitamin A and carotene utilization, and other chemical studies, 391.
KAUNITZ, H., AND C. A. SLANETZ. An unknown factor with vitamin A activity distilled from lard, 375.
KEITH, C. K. See Dinning, J. S., 81.
KENDALL, K. A., G. W. SALISBURY AND N. L. VANDEMARK. Sterility in the rabbit associated with soybean hay feeding, 487.
KETRON, K. C. See Snyderman, S. E., 31.
KING, T. E., F. M. STRONG AND V. H. CHELDELIN. Pantothenic studies. X. The influence of a pantothenic acid conjugate (PAC) upon growth and citrate formation in rats, 195.
KINSEY, V. E. See Goldhaber, P., 453; Zacharias, L., 359.
KITE, O. W., J. H. SHAW AND R. F. SOGNNAES. The prevention of experimental tooth decay by tube-feeding, 89.
KRUKOVSKY, V. N. See Bratzler, J. W., 59.

LALOR, R. J. See Tove, S. B., 433.
LANG, C. See Chow, B. F., 405.
Lard, unknown factor with vitamin A activity distilled from, 375.
LEVEY, S., E. D. HOGANSON, J. E. HARBOUN AND C. J. SMYTH. The excretion of amino acids in normal and undernourished human subjects following a single infusion of an amino acid preparation, 71.
LIEBE, E. See Kachmar, J. F., 391.
Lipids, fecal excretion by rats, as influenced by diet, 175.
Liver and B vitamins, comparative effects on dinitrophenol toxicity in rat, 271.
— fraction "L" in nutrition of mature fowl, 473.
LOOSLI, J. K. See Bratzler, J. W., 59; Brinegar, M. J., 129, 619.
Louisiana elementary school children (selected), hemoglobin concentrations, erythrocyte counts and hematocrits of, 539.
Lysine requirement for growth of swine, 129.

MADDY, K. H. See Black, A., 415.
Man, normal and undernourished, excretion of amino acids in, following a single infusion of an amino acid preparation, 71.
— utilization of dehydroascorbic acid by, 297.
MARCH, B., J. BIELY AND J. TONZETICH. Supplementation of wheat with amino acids in the diet of the chick, 565.
Margarine fat, growth and reproduction over 25 generations on Sherman diet B, where butterfat was replaced by, including a study of calcium metabolism, 239.
Mature fowl (see Fowl, mature).
— peas (Pisum sativum), protein value of, 207.
MAYNARD, L. A. See Bratzler, J. W., 59; Brinegar, M. J., 129, 619.
McBEE, M., D. S. MOSCHETTE AND C. TUCKER. The hemoglobin concentrations, erythrocyte counts, and hematocrits of selected Louisiana elementary school children, 539.
McMILLAN, T. See Johnston, F. A., 285; Todhunter, E. N., 297.
Mead Johnson and Company 'B-complex' award, 1950, presentation, 149; 1951, announcement, 153, 627.
Metabolism, ascorbic acid, in guinea pigs in relation to growth, 347.
— (calcium), growth and reproduction over 25 generations on Sherman diet B where butterfat was replaced by margarine fat, including a study of, 239.
— of polyunsaturated fatty acids in growing chicks, 325.
— of pyridine-fed rats, influence of pteroylglutamic acid and vitamin B_{12} on, 81.
— of tocopherols in swine, effect of their dietary level on, 59.
Methionine content of hen's eggs, distribution in egg white and yolk, 443.
— deficiency under ad libitum and force-feeding conditions, 423.
MEYER, J. H. See Grunert, R. R., 609.
Microbiological activity of vitamin B_{12} in urine of normal rats following oral and subcutaneous administration of this vitamin, 405.
Mink, unidentified factor present in hog intestinal mucosa required by, 433.
MOSCHETTE, D. S. See McBee, M., 539.
Mothers (rat) fed plant rations, acute uremia of newborn from. Nutritional value of plant materials. III., 227.
Mouse adrenal, effect of proten deficiency and other dietary factors on X zone of, 157.
— nutrition of. VIII., 257.
Mucosa (hog intestinal), unidentified factor present in, required by mink, 433.
MUTCH, B. S. See Farmer, F. A., 309.

NELL, R. E., AND P. H. PHILLIPS. Contributions of brewers' yeast to a diet deficient in reproductive factors, 117.
NEMIR, R. L. See Snyderman, S. E., 31.
Newborn rats (see Rats, newborn).
Niacin-replacing value of L- and DL-tryptophan in chick diets as influenced by carbohydrate source, 463.
Nitrogen content of hen's eggs, distribution in egg white and yolk, 443.
— sparing effect of dietary carbohydrate in its relation to the time factor. Experiments with repletion of protein-depleted adult rats, 577.
Normal human subjects (see Man, normal).
— rats (see Rats, normal).
Nutrition of cattle, vitamin E in. II., 391.
— of mature fowl; vitamin B_{12}, APF concentrates, dried whey, fish solubles and liver fraction "L" in, 473.
— of mouse. VIII. Studies on pantothenic acid, biotin, inositol and *p*-aminobenzoic acid, 257.
— survey and tests in Bataan, Philippines, 9.
Nutritional value of plant materials. III. Acute uremia of newborn rats from mothers fed plant rations, 227; V. Reproduction of rats fed purified rations containing soybean protein, 587.
Nutritive value, comparative, of fats. XIII. Growth and reproduction over 25 generations on Sherman diet B where butterfat was replaced by margarine fat, including a study of calcium metabolism, 239.
— — of canned foods. XLII. A study of the protein value of young and mature peas (Pisum sativum), 207.

OILY and aqueous media, vitamin A stores of sucklings following administration to dams of vitamin A in, 557.
OLCESE, O. See Couch, J. R., 337, 473.
OLIVEROS, S. B. See Salcedo, J., Jr., 501.
Oral and subcutaneous administration of vitamin B_{12}, microbiological activity of this vitamin in urine of normal rats following, 405.
Osborne and Mendel award, 1950, presentation, 150; 1951, announcement, 154, 625.

PAC (pantothenic acid conjugate), influence upon growth and citrate formation in rats, 195.
Pantothenic acid, biotin, inositol and *p*-aminobenzoic acid, studies on. Nutrition of mouse. VIII., 257.
— — conjugate (PAC), influence upon growth and citrate formation in rats, 195.
— studies. X. Influence of a pantothenic acid conjugate (PAC) upon growth and citrate formation in rats, 195.
PARSONS, J. T. See Dinning, J. S., 81.
PASCUAL, C. R. See Salcedo, J., Jr., 501.
Peas (Pisum sativum), young and mature, protein value of, 207.
Peptide wastage consequent to the infusion of two protein hydrolysates, 189.
Perspiration as factor influencing requirement for calcium and iron, 285.
PETERSON, D. W. Effect of sterols on the growth of chicks fed high alfalfa diets or a diet containing Quillaja saponin, 597.
Philippines (Bataan), nutrition survey and tests in, 9.
— — report of field trials in. Artificial enrichment of white rice as solution to endemic beriberi, 501.
PHILLIPS, P. H. See Grunert, R. R., 609; Nell, R. E., 117.
Pigs, guinea (see Guinea pigs).
Plant materials, nutritional value of. III., 227; V., 587.
— rations, acute uremia of newborn rats from mothers fed. Nutritional value of plant materials. III., 227.

Plasma tocopherol levels and vitamin E deficiency symptoms in chicks, effects of dietary supplements on, 359.
— xanthophyll levels and vitamin E deficiency symptoms in chicks, 453.
Polyunsaturated fatty acids, metabolism in growing chicks, 325.
PORTER, R. M. See Kachmar, J. F., 391.
Potassium and sodium requirements of rat for growth, 609.
— further studies on role in growth and bone formation, 45.
Proceedings, American Institute of Nutrition (see American Institute of Nutrition).
Protective action of vitamin B_{12} against toxicity of DL-thyroxine, 221.
Protein deficiency and other dietary factors, effect on X zone of mouse adrenal, 157.
— depleted adult rats, experiments with repletion of. Nitrogen-sparing effect of dietary carbohydrate in its relation to the time factor, 577.
— factor, animal (see Animal protein factor).
— hydrolysates, peptide wastage consequent to the infusion of two, 189.
— influence of low levels on heat production, 415.
— soybean, reproduction of rats fed purified rations containing. Nutritional value of plant materials. V., 587.
— value of young and mature peas (Pisum sativum), 207.
Pteroylglutamic acid and vitamin B_{12}, influence on metabolism of pyridine-fed rats, 81.
Purified rations (see Rations, purified).
Pyridine-fed rats, influence of pteroylglutamic acid and vitamin B_{12} on metabolism of, 81.

QUILLAJA saponin, effect of sterols on growth of chicks fed high alfalfa diets or diet containing, 597.

RABBIT, sterility in, associated with soybean hay feeding, 487.
Rat(s), comparative effects of B vitamins and liver on dinitrophenol toxicity in, 271.
— fecal excretion of lipids by, as influenced by diet, 175.
— fed purified rations containing soybean protein, reproduction of. Nutritional value of plant materials. V., 487.
— immature, fed thyroid, protective effect of high fat diets on, 279.
— influence of a pantothenic acid conjugate (PAC) upon growth and citrate formation in, 195.
— newborn, from mothers fed plant rations, acute uremia of. Nutritional value of plant materials. III., 227.
— normal, microbiological activity of vitamin B_{12} in urine of, following oral and subcutaneous administration of this vitamin, 405.
— protein-depleted adult, experiments with repletion of. Nitrogen-sparing effect of dietary carbohydrate in its relation to the time factor, 577.
— pyridine-fed, influence of pteroylglutamic acid and vitamin B_{12} on metabolism of, 81.
— sodium and potassium requirements for growth, 609.
Rations for growing chicks, essential role of fatty acids in, 319.
— plant, acute uremia of newborn rats from mothers fed. Nutritional value of plant materials. III., 227.
— purified, containing soybean protein, reproduction of rats fed. Nutritional value of plant materials. V., 587.
REID, M. E. Ascorbic acid metabolism in guinea pigs in relation to growth, 347.
REISER, R. The essential role of fatty acids in rations for growing chicks, 319; the metabolism of polyunsaturated fatty acids in growing chicks, 325.
Repletion of protein-depleted adult rats, experiments with. Nitrogen-sparing effect of dietary carbohydrate in its relation to the time factor, 577.
Reproduction and growth over 25 generations on Sherman diet B where butterfat was replaced by margarine fat, including a study of calcium metabolism, 239.
— of rats fed purified rations containing soybean protein. Nutritional value of plant materials. V., 587.
Reproductive factors, contributions of brewers' yeast to diet deficient in, 117.
Rice, white, artificial enrichment of, as solution to endemic beriberi. Report of field trials in Bataan, Philippines, 501.
ROSENBERG, A. A. See Sobel, A. E., 557.

SALCEDO, J., JR., M. D. BAMBA, E. O. CARRASCO, G. S. CHAN, I. CONCEPCION, F. R. JOSE, J. F. DE LEON, S. B. OLIVEROS, C. R. PASCUAL, L. C. SANTIAGO AND R. C. VALENZUELA. Artificial enrichment of white rice as a solution to endemic beriberi. Report of field trials in Bataan, Philippines, 501.
— See Burch, H. B., 9.
SALISBURY, G. W. See Kendall, K. A., 487.
SANDERS, B. G. See Couch, J. R., 473.
SANTIAGO, L. C. See Salcedo, J., Jr., 501.
Saponin, Quillaja, effect of sterols on growth of chicks fed high alfalfa diets or diet containing, 597.
SAVAGE, E. E. See Deuel, H. J., Jr., 239.
School children (selected Louisiana elementary), hemoglobin concentrations, erythrocyte counts, and hematocrits of, 539.
SCHULTZE, M. O. Nutritional value of plant materials. V. Reproduction of rats fed purified rations containing soybean protein, 587.
— See Halvorson, H. O., 227.
SCHULZ, J. A., AND B. H. THOMAS. The fecal excretion of lipids by rats as influenced by the diet, 175.
SEVIGNE, F. J. See Week, E. F., 525.
SHAW, J. H. See Kite, O. W., 89.
Sherman diet B where butterfat was replaced by margarine fat, growth and reproduction over 25 generations on, including a study of calcium metabolism, 239.
SLANETZ, C. A. See Kaunitz, H., 375.
SMYTH, C. J. See Levey, S., 71.
SNYDERMAN, S. E., L. E. HOLT, JR., R. L. NEMIR, L. P. GUY, R. CARRETERO AND K. C. KETRON. Observations on an unknown dietary factor essential for human growth, 31.
SOBEL, A. E., AND A. A. ROSENBERG. Vitamin A stores of sucklings following administration to the dams of vitamin A in oily and aqueous media, 557.
Sodium and potassium requirements of rat for growth, 609.
SOGNNAES, R. F. See Kite, O. W., 89.
Solubles, fish (see Fish solubles).
Soybean hay feeding, sterility in rabbit associated with, 487.
— protein, reproduction of rats fed purified rations containing. Nutritional value of plant materials. V., 587.
SPENCER, A. J JR., AND L. N. ELLIS. The effect of fluoride and grapefruit juice on the etching of teeth, 107.
Sterility in rabbit associated with soybean hay feeding, 487.
Sterols, effect on growth of chicks fed high alfalfa diets or diet containing Quillaja saponin, 597.
STONE, M. A. See Fenton, P. F., 257.
Stores (vitamin A) of sucklings following administration to dams of vitamin A in oily and aqueous media, 557.
STRONG, F. M. See King, T. E., 195.
Subcutaneous and oral administration of vitamin B_{12}, microbiological activity of this vitamin in urine of normal rats following, 405.

Sucklings, vitamin A stores of, following administration to dams of vitamin A in oily and aqueous media, 557.
SURE, B., AND L. EASTERLING. The protective action of vitamin B_{12} against the toxicity of DL-thyroxine, 221.
Survey and tests, nutrition, in Bataan, Philippines, 9.
SWIFT, R. W. See Black, A., 415.
Swine, effect of dietary level of tocopherols on their metabolism in, 59.
— isoleucine requirement for growth of, 619.
— lysine requirement for growth of, 129.

TEETH, effect of fluoride and grapefruit juice on etching of, 107.
Tests and survey, nutrition, in Bataan, Philippines, 9.
THOMAS, B. H. See Schulz, J. A., 175.
Thyroid, protective effect of high fat diets on immature rats fed, 279.
Thyroxine (DL-), protective action of vitamin B_{12} against toxicity of, 221.
Time factor, nitrogen-sparing effect of dietary carbohydrate in its relation to. Experiments with repletion of protein-depleted adult rats, 577.
Tissues, chick, vitamin B_{12} content of, as influenced by diet, 337.
Tocopherol(s), effect of dietary level of, on their metabolism in swine, 59.
— (plasma) levels and vitamin E deficiency symptoms in chicks, effects of dietary supplements on, 359.
TODHUNTER, E. N., T. MCMILLAN AND D. A. EHMKE. Utilization of dehydroascorbic acid by human subjects, 297.
TONZETICH, J. See March, B., 565.
Tooth decay, prevention of experimental, by tube-feeding, 89.
TOVE, S. B., R. J. LALOR AND C. A. ELVEHJEM. An unidentified factor present in hog intestinal mucosa required by the mink, 433.
Toxicity, dinitrophenol, in rat, comparative effects of B vitamins and liver on, 271.
— of DL-thyroxine, protective action of vitamin B_{12} against, 221.
Tryptophan (L- and DL-), niacin-replacing value in chick diets as influenced by carbohydrate source, 463.
Tube-feeding, prevention of experimental tooth decay by, 89.
TUCKER, C. See McBee, M., 539.

UNDERNOURISHED and normal human subjects, excretion of amino acids in, following a single infusion of an amino acid preparation, 71.
Uremia, acute, of newborn rats from mothers fed plant rations. Nutritional value of plant materials. III., 227.
Urine of normal rats, microbiological activity of vitamin B_{12} in, following oral and subcutaneous administration of this vitamin, 405.

VALENZUELA, R. C. See Salcedo, J., Jr., 501.
VANDEMARK, N. L. See Kendall, K. A., 487.
Vitamin(s) A activity, unknown factor with, distilled from lard, 375.
—— alcohol, acetate and natural esters, relative utilization as affected by variations in dosage level, quantity and character of diluent, and quantity of dietary fat, 525.
—— and carotene utilization, vitamin E levels in blood, and other chemical studies. Vitamin E in nutrition of cattle. II., 391.
—— in oily and aqueous media, vitamin A stores of sucklings following administration to dams of, 557.
—— stores of sucklings following administration to dams of vitamin A in oily and aqueous media, 557.
—— utilization studies. IV. Relative utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters as affected by variations in dosage level, quantity and character of diluent, and quantity of dietary fat, 525.
— B and liver, comparative effects on dinitrophenol toxicity in rat, 271.
— B_{12} and peteroylglutamic acid, influence on metabolism of pyridine-fed rats, 81.
—— APF concentrates, dried whey, fish solubles and liver fraction "L" in nutrition of mature fowl, 473.
—— content of chick tissues as influenced by diet, 337.
—— microbiological activity in urine of normal rats following oral and subcutaneous administration, 405.
—— protective action against toxicity of DL-thyroxine, 221.
— E deficiency in chicks. I. Effects of dietary supplements on plasma tocopherol levels and vitamin E deficiency symptoms, 359; II. Plasma xanthophyll levels and vitamin E deficiency symptoms, 453.
———— symptoms and plasma tocopherol levels in chicks, effects of dietary supplements on, 359.
—— —— —— —— —— —— xanthophyll levels in chicks, 453.
—— in nutrition of cattle. II. Vitamin E levels in blood, vitamin A and carotene utilization, and other chemical studies, 391.
—— levels in blood, vitamin A and carotene utilization, and other chemical studies. Vitamin E in nutrition of cattle. II., 309.
—— requirement of guinea pigs, 309.

WASTAGE, peptide, consequent to the infusion of two protein hydrolysates, 189.
WEEK, E. F., AND F. J. SEVRINE. Vitamin A utilization studies. IV. Relative utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters as affected by variations in dosage level, quantity and character of diluent, and quantity of dietary fat, 525.
Wheat, supplementation with amino acids in diet of chick, 565.
Whey, dried, in nutrition of mature fowl, 473.
White, egg (see Egg white).
— rice (see Rice, white).
WILLIAMS, H. H. See Brinegar, M. J., 129, 619.
WILLIAMS, J. N., JR. See Chitre, R. G., 207; Denton, A. E., 423.
WOOLSEY, L. D. See Farmer, F. A., 309.

X zone of mouse adrenal, effect of protein deficiency and other dietary factors on, 157.
Xanthophyll (plasma) levels and vitamin E deficiency symptoms in chicks, 453.

YEAST, brewers', contributions to diet deficient in reproductive factors, 117.
Yolk (egg), nitrogen, methionine and cystine content of hen's eggs and distribution in egg white and, 443.
Young peas (Pisum sativum), protein value of, 207.

ZACHARIAS, L., P. GOLDHABER AND V. E. KINSEY. Vitamin E deficiency in chicks. I. The effects of dietary supplements on plasma tocopherol levels and vitamin E deficiency symptoms, 359.
— See Goldhaber, P., 453.
Zone (X) of mouse adrenal, effect of protein deficiency and other dietary factors on, 157.

C. EIJKMAN

1858–1930



C. Eastman